



To experience success with your livestock project, use the best feeding standards and provide for good animal health. These tracking sheets can help.

- Maintain good animal health through timely worming and regularly alternating your wormer.
- Monitor steady animal weight gain by tracking its progress regularly.
- Feed your animal at the same time every day and about 12 hours apart. This will help improve average daily gain.

Paying attention to these small details can help your livestock project experience success!

### Worming Helpful Information

Livestock	Product Examples to Use	Notes	How Often?
Sheep	Ivermectin, Valbazen, Safe-Guard	Alternate Wormers	30 Days
Goats	Safe-Guard, Valbazen	Alternate Wormers	30 Days
Swine	Dectomax, Safe-Guard, Ivermectin, Noromectin	Alternate Wormers	30-45 days
Beef	Ivermax, Safe-Guard, Cydectin, Ivermectin	Alternate Wormers	45-60 days

Livestock	Average Daily Gain	Amount to Feed	Market Weight
Sheep	0.7 pounds per day	2% of Body Weight	110-150 pounds
Goat	0.45 pounds per day	2% of Body Weight	60-100 pounds
Swine	1.75 pounds per day	4% of Body Weight	220-290 pounds
Beef	3.0 pounds per day	3% of Body Weight	1,150-1,300 pounds



# South Dakota 4-H Livestock Project

## Feeding Schedule – Multiple Animal



**SOUTH DAKOTA STATE  
UNIVERSITY EXTENSION**

Day	Name of Animal							
	1.		2.		3.		4.	
	Amount							
	AM	PM	AM	PM	AM	PM	AM	PM
Sunday								
Monday								
Tuesday								
Wednesday								
Thursday								
Friday								
Saturday								
Sunday								
Monday								
Tuesday								
Wednesday								
Thursday								
Friday								
Saturday								

**Notes:**

---



---



---



---



---



---



---



---







